

**ST<sup>TM</sup>** ***SERVICE TRUCKS  
INTERNATIONAL***





MODEL	PAGE
2244 Service Body	4
2244 Crane Body	6
2250 Service Body	8
2250 Crane Body	10
2252 Crane Body	12
2452 Crane Body	14
2460 Crane Body	16
Crane Flatbed	18
Propane Crane Body	20
Custom Bodies	22
Lube Skids	24
Options	26



*Welcome to*

## Service Trucks International!

We offer a full line of service and crane bodies to meet all of your service fleet needs. Each body is hand-crafted with a high attention to detail, quality, and durability. Designed to fit 14,000 GVW and larger chassis, our bodies are available in a variety of sizes and configurations to meet all your in-the-field service needs. Our sales team will guide you through each step of spec'ing both the body and the chassis it goes on, ensuring that the final product is designed around your needs.

Tiger Cranes are designed and manufactured in our production facilities and distributed as a separate brand. Tiger Cranes feature lifting capacities from 2,000 to 14,000 lbs. In addition to cranes, we offer many different accessories including: Vanair and VMAC compressors, Enpak All-in-One Systems, rollout drawers and bolt bins, lighting packages, lube systems, bedliners, and much more.

Serving the industry since 1985, our goal is to keep your fleet operating cost down, while maintaining a high level of quality to maximize overall value. We invite you to explore the catalog to learn more about our company and products. More information is also available at [servicetrucks.com](http://servicetrucks.com) or contacting us at 800.225.8789.

WE DESIGN AROUND  
**YOUR NEEDS...**

MODEL  
**2244**



Rugged  
**SERVICE...**

**2244 SERVICE BODY**

**Specifications**

Cabinets	22.5" D x 44" H
Dimensions	
9 ft body	108" L x 96" W
Workbench	15" D x 85" W
Deck width	51"
Shelving capacity	250 lb
Cabinet material	12 ga A60 galvaneal
Tiedowns	4 Flush mount
Hitch	2.5" Cat V receiver
Minimum GVW	14K

**Standard Features**

- Stainless steel chipguard - full height
- Infinitely adjustable shelving
- 3-point compression door locking system
- Fully undercoated
- STI 2 / 3 / 5 warranty

**Optional Equipment:** See page 26

MODEL  
**2244**



Lightweight  
**DEPENDABILITY...**

**2244 CRANE BODY**

**Specifications**

Cabinets	22.5" D x 44" H
Dimensions	
11 ft body	132" L x 96" W
Vented bottle cabinet	20" W x 60" H
Workbench	19" D x 85" W
Deck width	51"
Crane tower rating	30,000 ft-lb
Shelving capacity	250 lb
Cabinet material	12 ga A60 galvalume
Tiedowns	
11 ft body	6 Flush Mount
Outriggers	Manual
Hitch	2.5" Cat V receiver
Minimum GVW	16K

**Standard Features**

- Stainless steel chipguard - full height
- Infinitely adjustable shelving
- 3-pt compression door locking system
- Fully undercoated
- STI 2 / 3 / 5 warranty

**Compatible Tiger Cranes**

- 2081E
- 3216E
- 4016E
- 5032E/EP

**Optional Equipment:** See page 26

MODEL  
**2250**



Maximum  
**SERVICE...**

**2250 SERVICE BODY**

**Specifications**

Cabinets	22.5" D x 50" H
Dimensions	
11 ft body	132" L x 96" W
Vented bottle cabinet	20" W x 60" H
Workbench	17" D x 85" W
Deck width	51"
Crane tower rating	47,000 ft-lb
Shelving capacity	250 lb
Cabinet material	12 ga A60 galvanneal
Tiedowns	6 flush mount
Hitch	2.5" Cat V receiver
Minimum GVW	16K-22.5K

**Standard Features**

- Pressurized cabinets with filtered air
- Logic based electrical system
- All stainless steel hardware
- Stainless steel chipguard - full height
- Infinitely adjustable shelving
- 3-pt compression door locking system
- Fully undercoated
- STI 2 / 3 / 5 warranty

**Optional Equipment::** See page 26

MODEL  
**2250**



Everything You Need  
**NOTHING YOU DON'T...**

**2250 CRANE BODY**

**Specifications**

Cabinets	22" D x 50" H
Dimensions	
11 ft body	132" L x 96" W
Vented bottle cabinet	20" W x 60" H
Workbench	22" D x 85" W
Deck width	51"
Crane tower rating	47,000 ft-lb
Shelving capacity	250 lb
Cabinet material	12 ga A60 galvanneal
Tiedowns	6 flush mount
Outriggers	Manual or hydraulic
Hitch	2.5" Cat V receiver
Minimum GVW	16K-22.5K

**Standard Features**

- Pressurized cabinets with filtered air
- Logic based electrical system
- All stainless steel hardware
- Stainless steel chipguard - full height
- Infinitely adjustable shelving
- 3-pt compression door locking system
- Fully undercoated
- STI 2 / 3 / 5 warranty

**Compatible Tiger Cranes**

- 3216E
- 4016E
- 5032E/EP
- 6542E/EP
- 5032
- 6542
- 7543

**Optional Equipment::** See page 26

MODEL  
**2252**



Industry  
**LEADER...**

**2252 CRANE BODY**

**Specifications**

Cabinets	22" D x 52" H
Dimensions	
11 ft Body	132" L x 95" W
Vented bottle cabinet	20" W x 60" H
Workbench	23" D x 95" W
Deck width	51"
Crane tower rating	50,000 ft-lb
Shelving capacity	250 lb
Cabinet material	11 ga A60 galvalume
Tiedowns	6 flush mount
Outriggers	Hydraulic
Hitch	2.5" Cat V receiver
Minimum GVW	16K-22.5K

**Standard Features**

- Pressurized cabinets with filtered air
- Logic based electrical system
- 1/4" workbench top
- Stainless steel chipguard - full height
- Infinitely adjustable shelving
- 3-pt compression door locking system
- Fully undercoated
- STI 2 / 3 / 5 warranty

**Compatible Tiger Cranes**

- 5032E/EP
- 6542E/EP
- 5032
- 6542
- 7543
- 8051

**Optional Equipment::** See page 26

MODEL  
2452



Highly  
CUSTOMIZABLE...

2452 CRANE BODY

Specifications

Cabinets	24" D x 52" H
Dimensions	
11 ft body	132" L x 99" W
14 ft body	168" L x 99" W
Vented bottle cabinet	20" W x 60" H
Workbench	25" D x 99" W
Deck width	51"
Crane tower rating	90,000 ft-lb
Shelving capacity	250 lb
Cabinet material	11 ga A60 galvalume
Tiedowns	
11 ft body	6 flush mount
14 ft body	8 flush mount
Outriggers	Hydraulic
Hitch	2.5" Cat V receiver or 30K pintle
Minimum GVW	25.5K+

Standard Features

- Pressurized cabinets with filtered air
- Logic based electrical system
- 1/4" workbench top
- Stainless steel chipguard - full height
- Infinitely adjustable shelves
- 3-pt compression door locking system
- Fully undercoated
- STI 2 / 3 / 5 warranty

Compatible Tiger Cranes

- 7543
- 8051
- 8059
- 1061

Optional Equipment: See page 26

MODEL  
2460



Single & Tandem Axle  
CONFIGURATIONS...

2460 CRANE BODY

Specifications

Cabinets	24" D x 60" H
Dimensions	
11 ft body	132" L x 99" W
14 ft body	168" L x 99" W
Vented bottle cabinet	20" W x 60" H
Workbench	25" D x 99" W
Deck width	51"
Crane tower rating	90,000 ft-lb
Shelving capacity	250 lb
Cabinet material	11 ga A60 galvalneal
Tiedowns	
11ft body	6 flush mount
14ft body	8 flush mount
Outriggers	Hydraulic
Hitch	2.5" Cat V receiver or 30K pintle
Minimum GVW	25.5K+

Standard Features

- Pressurized cabinets with filtered air
- Logic based electrical system
- 1/4" workbench top
- Stainless steel chipguard - full height
- Infinitely adjustable shelving
- 3-pt compression door locking system
- Fully undercoated
- STI 2 / 3 / 5 warranty

Compatible Tiger Cranes

- 8051
- 1061
- 1069
- 1479

Optional Equipment: See page 26

MODEL  
FLATBED



Unlimited  
POSSIBILITIES...

CRANE FLATBED

Specifications

Cabinets	22" D X 52" H
Dimensions	132" L x 96" W
11 ft flatbed	
Crane tower rating	50,000 ft-lb
Cabinet material	11 ga A60 galvaneal
Outriggers	Manual or hydraulic
Hitch	2.5" Cat V receiver
Minimum GVW	16K

Standard Features


- All stainless steel hardware
- Stainless steel front chipguard
- Rub rails / stake pockets
- Headgate
- Single panel doors
- 3-pt compression door locking system
- Stainless door checks

Compatible Tiger Cranes:

- 6542
- 6542E/EP
- 7543
- 8051

Optional Equipment: See page 26

# MODEL PROPANE



Engineered  
SOLUTIONS...

# PROPANE CRANE BODY

## Specifications

Cabinets	132" D x 52" H
Dimensions	
11 ft body	132" L x 96" W
Vented bottle cabinet	20" W x 60" H
Workbench	21" D x 95" W
Deck width	51"
Crane tower rating	50,000 ft-lb
Shelving capacity	250 lb
Cabinet material	12 ga A60 galvaneal
Tiedowns	6 flush mount
Outriggers	Hydraulic
Hitch	2.5" Cat V receiver
Minimum GVW	16K+

## Standard Features

- Pressurized cabinets with filtered air
- Logic based electrical system
- 1/4" workbench top
- Stainless steel chipguard - full height
- Infinitely adjustable shelving
- 3-pt compression door locking system
- Fully undercoated
- STI 2 / 3 / 5 warranty

## Compatible Tiger Cranes



6542  
7543  
8051

**Optional Equipment:** See page 26

# CUSTOM BODIES



## MODEL LUBE SKIDS



Flexible Fluid  
**MANAGEMENT...**

## MODULAR LUBE SKIDS

### Specifications

Full skid	Up to 6 products
Dimensions	47" W x 72" L
Capacity	240 gallons
Half skid	Up to 5 products
Dimensions	47" W x 51" L
Capacity	120 gallons
Tank sizes	30 gal, 60 gal, 118 gal
Grease sizes	35 lb, 120 lb
Tank materials	10 ga steel
Air required	10-30 CFM @ 90 PSI

### Standard Features

- Full frame design
- Forklift and crane lift points
- Truck, trailer, or stationary
- Graco pumps and dispensers
- Reelcraft reels
- Tank sight gauges
- 2" cam lock fill ports
- Thermal reliefs

### Options

- Preset dispensers
- Digital meters
- Stainless steel tanks

### Popular Configurations

- Three 30 gal product + one 30 gal waste (half skid)
- Two 30 gal product + one 60 gal waste + 35 lb grease (half skid)
- Four 30 gal product + one 60 gal waste + 120 lb grease
- Two 60 gal product + two 30 gal product + one 60 gal waste
- One 60 gal product + two 30 gal product + one 60 gal waste + 35 lb grease
- Two 60 gal product + one 30 gal product + one 30 gal antifreeze + one 60 gal waste + 120 lb grease

# MODEL OPTIONS



All-In-One Solutions



Weather Protected Controls



Split Compartments



Dual Tool Boxes



Engine Driven Air



Winches



Stainless Steel Jamb Covers



Oil Waste Systems



Custom Layouts



Safety Lighting



Hydraulic Air Options



Lockable Deck Covers



Wheel Chocks & Shoring Pads



Folding Steps & Handrails



Spray-On Bedliner



Interior & Exterior Lighting

# OPTIONS

Service Trucks International (STI), a wholly owned division of Sioux Automation Center Inc, has been crafting high quality service bodies since 1985. Specializing in high quality mobile service products, STI strives to meet the needs of operators and retailers of heavy equipment used in mining, road construction, site prep and land clearing, agricultural equipment, the oil and gas industry and local, state, and federal government.

Based in Sioux Center, IA, STI manufactures Eagle Pro bodies, as well as a complete line of telescoping service cranes under the Tiger Crane brand name. STI markets equipment through both direct and distributor channels in the United States, Canada, Mexico, as well as international markets.



877 1st Ave NW, Sioux Center, Iowa 51250  
800.225.8789 | [sales@servicetrucks.com](mailto:sales@servicetrucks.com)

